



# Container Messages Genoa 2017

**Sönke Witt**  
**HHLA**



# Container messages



- ◆ **Contents**
- ◆ **Currently consolidation VGM**
- ◆ **APERAK Usage**
- ◆ **Use case Transhipment**
- ◆ **Other issues**

# Consolidation VGM



## Special Requirements from Italian COAST Guard:

- NAME of WEIGHING STATION
- ID of CERTIFIED Weighing Station
- Count n° of Weighing

# APERAK



- ❏ **Implementations already active**
- ❏ **ITIGG guidelines recommended**
- ❏ **No 'international' error code list**
  - ❖ **Difficult to align**
  - ❖ **Mutually to be agreed**
  - ❖ **For explanatory reasons**
  - ❖ **AP, RE most important**

# APERAK



## 🟡 Further Steps:

- 🟡 Necessity for action
- 🟡 No immediate action for lack of time to do so.
- 🟡 → Put it on SMDG Todo List for future action.

# Use Case Transshipment



## ◆ Transshipment between different terminals

- ◆ It is about transshipment in the same port but 2 different terminals. (see attachment)
- ◆ Transport between the terminals is via BARGE (or TRUCK)
- ◆ In their case it is of 2 terminals of the same organizations
- ◆ They want to pass On-transport locations
- ◆ It is a use case that we have also in Antwerp

# Use Case Transshipment



## ■ **Transshipment between different terminals**

- ◆ TDT under the EQD should contain MOT/Name for oncarriage transport
- ◆ LOC under the EQD should contain next Discharge Location, in this case the next terminal in the port.

# Use Case Transshipment



## 📦 Further Steps

- ◆ Situation is clarified
- ◆ Amend SMDG Recommendation for COPRAR Dis



# New Issues


- ◆ **Enhance Containermessages to be able to transmit further detailed Containerinformation to meet the detail level of BAPLIE 3.0**

# Back Up



# Container Information Flow

## Operational messages



# Consolidation VGM



## Special Requirements from Italian COAST Guard:

- NAME of WEIGHING STATION
- ID of CERTIFIED Weighing Station
- Count n° of Weighing

# APERAK



- ❏ **Implementations already active**
- ❏ **ITIGG guidelines recommended**
- ❏ **No ‘international’ error code list**
  - ❖ **Difficult to align**
  - ❖ **Mutually to be agreed**
  - ❖ **For explanatory reasons**
  - ❖ **AP, RE most important**

# APERAK – basic principles



## Reference to original message (ITIGG)

### A. IFTMIN initial instruction

- BGM 1004: INSTR-95/01/12-008
- 1225: 9 (original)
- RFF 1153: --
- 1154: --

### B. APERAK negative acknowledgment

- BGM 1004: ACK-95/01/13-001
- 1225: 9
- RFF 1153: ACW (previous message)
- 1154: INSTR-95/01/12-008



# APERAK – basic principles



## ◆ BGM

- ◆ **1001: Document message name, coded**
  - ◆ This element should include the message function code from DE 1001 of the BGM of the message to which the APERAK is responding.
- ◆ **1004: Message/Document reference**
  - ◆ Always to be unique for each message
  - ◆ Reference from (back-end) application not EDI system
- ◆ **1225: Always 9 - Original**

# APERAK – basic principles

## 📦 BGM

📦 4343 RESPONSE TYPE, CODED an..3

📦 AP Accepted

📦 RE Rejected

📦 CA Conditionally Accepted

📦 BGM+11+2342+9+AP'



# APERAK – basic principles

## ❏ RFF

❖ 4343 RESPONSE TYPE, CODED an..3

❏ AP Accepted

❏ RE Rejected

❏ CA Conditionally Accepted

❖ BGM+11+2342+9+AP'

# APERAK – basic principles

## ERC

- ◆ Error code

## FTX

- ◆ Error description

## RFF

- ◆ Extra detail information (e.g. container id.)

# APERAK – basic principles



## Sample – NOK response to COREOR

- UNB+UNOA:2+PSA+KLINE+170313:1516+008415303'
- UNH+000209623+APERAK:D:96B:UN:ITG13'
- BGM+12+049701725022867206+9+RE'
- DTM+137:20170313151553:203'
- RFF+ACW:049701725022867192' Previous BGM ref.
- RFF+CAO:US2950162' Release ref.
- ERC+ERR5633:CT:COS' Error code
- FTX+AAO+++RELEASE US2950162 ALREADY EXISTS.'
- RFF+EQD:KKFU1796056' Detail reference
- UNT+9+000209623'
- UNZ+1+008415303'

# APERAK



## 🟡 Further Steps:

- 🟡 Necessity for action
- 🟡 No immediate action for lack of time to do so.
- 🟡 → Put it on SMDG Todo List for future action.

# Use Case Transshipment



## ◆ Transshipment between different terminals

- ◆ It is about transshipment in the same port but 2 different terminals. (see attachment)
- ◆ Transport between the terminals is via BARGE (or TRUCK)
- ◆ In their case it is of 2 terminals of the same organizations
- ◆ They want to pass On-transport locations
- ◆ It is a use case that we have also in Antwerp

# Use Case Transhipment



## ■ **Transhipment between different terminals**

- ◆ **TDT under the EQD should contain MOT/Name for on carriage transport**
- ◆ **LOC under the EQD should contain next Discharge Location, in this case the next terminal in the port.**

# Use Case Transshipment



## 📦 Further Steps

- ◆ Situation is clarified
- ◆ Amend SMDG Recommendation for COPRAR Dis

# New Issues

- ◆ **Enhance Containermessages to be able to transmit further detailed Containerinformation to meet the detail level of BAPLIE 3.0**